EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16020	(358/1.1, 358/1.9, 358/1.11-1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:22
L2	2	("6711677").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 15:23
L3	2	("20020036789").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 15:23
L4	6	(("5633932") or ("5982506") or ("5502575")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 15:23
L5	2	("5574789").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 15:23
L6	1	(pair$5 adj2 print$5 adj2 id$2) with (secur$5 common$5) adj2 key$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L7	1	(pair$5 with print$5 adj2 id$2) with (secur$5 common$5) adj2 key$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L8	649	(pair$5 with (secur$5 common$5) adj2 key$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L9	8	(pair$5 with (secur$5 common$5) adj2 key$2) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23

EAST Search History

L10	42352	(pair$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L11	1	(pair$5 with (securit$5 adj2 (keys ids))) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L12	820	(pair$5 with (keys ids)) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L13	5	("4881264" | "5196840" | "5633932" | "5699493" | "6378070").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/13 15:23
L14	54	(stor$5 manag$5) adj10 print$5 with (pair$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L15	7	L14 and @rlad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L16	1890	(stor$5 manag$5) adj10 (pair$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L17	55	(stor$5 manag$5) adj10 (pair$5 with (keys ids)) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L18	46	L17 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
L19	18	L18 and @rlad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23

EAST Search History

L20	16020	(358/1.1, 358/1.9, 358/1.11-1.16). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:23
S1	2	("6711677").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 11:27
S2	2	("20020036789").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 11:44
S3	6	(("5633932") or ("5982506") or ("5502575")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 11:46
S4	2	("5574789").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:48
S5	1	(pair$5 adj2 print$5 adj2 id$2) with (secur$5 common$5) adj2 key$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 16:51
S6	1	(pair$5 with print$5 adj2 id$2) with (secur$5 common$5) adj2 key$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:03
S7	610	(pair$5 with (secur$5 common$5) adj2 key$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:03
S8	7	(pair$5 with (secur$5 common$5) adj2 key$2) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:05
S9	39493	(pair$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:06

EAST Search History

S10	734	(pair$5 with (keys ids)) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:11
S11	1	(pair$5 with (securit$5 adj2 (keys ids))) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:06
S12	5	("4881264" | "5196840" | "5633932" | "5699493" | "6378070").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 17:08
S13	51	(stor$5 manag$5) adj10 print$5 with (pair$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:21
S14	7	S13 and @rlad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 18:14
S15	1691	(stor$5 manag$5) adj10 (pair$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:21
S16	52	(stor$5 manag$5) adj10 (pair$5 with (keys ids)) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:21
S17	44	S16 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:21
S18	18	S17 and @rlad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 17:21
S19	14894	(358/1.1, 358/1.9, 358/1.11-1.16). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 18:14